

# **SAFETY DATA SHEET**

Version 6.9 Revision Date 10/27/2023 Print Date 11/11/2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name :	Sodium fluoride
Product Number :	201154
Brand :	SIGALD
Index-No. :	009-004-00-7
CAS-No. :	7681-49-4

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST
	ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765

Fax : +1 800 325-5052

#### **1.4 Emergency telephone**

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



SIGALD - 201154

Page 1 of 11



Signal Word	Danger
Hazard statement(s) H301 H315 H319	Toxic if swallowed. Causes skin irritation. Causes serious eye irritation.
Precautionary statement(s) P264 P270 P280 P301 + P310 + P330	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P302 + P352 P305 + P351 + P338	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313 P337 + P313 P362 P405 P501	If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Strong hydrogen fluoride-releaser

Contact with acids liberates very toxic gas.

# SECTION 3: Composition/information on ingredients

# 3.1 Substances

Formula Molecular weight	: FNa	r/mal
Molecular weight	: 41.99 0	
CAS-No.	: 7681-4	9-4
EC-No.	: 231-66	
Index-No.	: 009-00	4-00-7

Component	Classification	Concentration
sodium fluoride		
	Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; H301, H315, H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 201154

Page 2 of 11



## SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### **General advice**

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as guickly as possible.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### **Suitable extinguishing media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

SIGALD - 201154

Page 3 of 11



## 5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride Sodium oxides Not combustible. Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

For personal protection see section 8

- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store near acids.

Moisture sensitive. Do not store in glass

#### Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 201154

Page 4 of 11



## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

## Ingredients with workplace control parameters

Ingredients with workplace control parameters				
Component	CAS-No.	Value	Control	Basis
			parameters	
sodium fluoride	7681-49-4	TWA	2.5 mg/m3	USA. NIOSH Recommended
				Exposure Limits
		TWA	2.5 mg/m3	USA. Occupational Exposure
			_	Limits (OSHA) - Table Z-1
				Limits for Air Contaminants
		TWA	2.5 mg/m3	USA. ACGIH Threshold Limit
			_	Values (TLV)
	Remarks	Not classifia	able as a human	carcinogen
		PEL	2.5 mg/m3	California permissible exposure
				limits for chemical
				contaminants (Title 8, Article
				107)

#### Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
sodium fluoride	7681-49-4	Fluoride	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Prior to shift	Prior to shift (16 hours after exposure ceases)		
		Fluoride	3 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (	As soon as	possible after exp	osure ceases)

#### 8.2 Exposure controls

## Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

SIGALD - 201154

Page 5 of 11



Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

## **Body Protection**

protective clothing

## **Respiratory protection**

Recommended Filter type: Filter B-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: white
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 993 °C (1819 °F)
f)	Initial boiling point and boiling range	1,704 °C 3,099 °F
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower	No data available
SIGALD -	201154	

Page 6 of 11



flammability or explosive limits

- k) Vapor pressure 1.9 hPa
- I) Vapor density No data available
- m) Density 2.780 g/cm3
- Relative density No data available
- n) Water solubility No data available
- o) Partition coefficient: Not applicable for inorganic substances n-octanol/water
- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

#### **9.2 Other safety information** No data available

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Contact with acids liberates very toxic gas.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3** Possibility of hazardous reactions

Contact with acids liberates very toxic gas. Generates dangerous gases or fumes in contact with: Acids

## **10.4** Conditions to avoid

Exposure to moisture. Reacts dangerously with glass. no information available

#### **10.5 Incompatible materials** glass

**10.6 Hazardous decomposition products** In the event of fire: see section 5

SIGALD - 201154

Page 7 of 11



## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 148.5 mg/kg (US-EPA) Remarks: (ECHA) Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Remarks: Irritating to skin.

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation - 24 h Remarks: Moderate eye irritation

#### Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative Remarks: (ECHA)

#### Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): Metabolic activation: without metabolic activation Result: negative Remarks: (ECHA) Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Test Type: Genotoxicity in vivo Species: Mouse

Application Route: Oral

Result: negative

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

SIGALD - 201154

Page 8 of 11



## Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

## **11.2 Additional Information**

RTECS: WB0350000

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. prolonged or repeated exposure can cause:, Damage to the lungs. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish	mortality NOEC - Cyprinodon variegatus (sheepshead minnow) - 500 mg/l - 96 h		
	LC50 - Gambusia affinis (Mosquito fish) - 925 mg/l - 96 h Remarks: (IUCLID)		
	LC50 - Oncorhynchus mykiss (rainbow trout) - 200 mg/l - 96 h		
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 338 mg/l - 48 h Remarks: (IUCLID)		
Toxicity to algae	IC50 - Desmodesmus subspicatus (green algae) - 850 mg/l - 72 h Remarks: (IUCLID)		
Toxicity to bacteria	EC0 - Pseudomonas putida - 231 mg/l - 16 h Remarks: (referred to the anion) (maximum permissible toxic concentration) (IUCLID)		
	EC50 - activated sludge - 2,930 mg/l - 3 h		
10 201154			

SIGALD - 201154

Page 9 of 11



(ISO 8192) Remarks: (IUCLID)

Toxicity to daphnia static test NOEC - Daphnia magna (Water flea) - 8.9 mg/l - 21 d and other aquatic Remarks: (ECHA) invertebrates(Chronic toxicity)

## **12.2 Persistence and degradability** The methods for determining biodegradability are not applicable to inorganic substances.

## **12.3 Bioaccumulative potential**

Bioaccumulation Salmo trutta - 10 d - 5 mg/l(sodium fluoride)

Bioconcentration factor (BCF): 2.3

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

# SECTION 13: Disposal considerations

## **13.1 Waste treatment methods**

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **SECTION 14: Transport information**

#### DOT (US)

UN number: 1690 Class: 6.1 Packing group: III Proper shipping name: Sodium fluoride, solid Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

IMDG SIGALD - 201154

Page 10 of 11



UN number: 1690	Class: 6.1	Packing group: III
Proper shipping nam	ne: SODIUM F	LUORIDE, SOLID

#### ΙΑΤΑ

UN number: 1690 Class: 6.1 Packing group: III Proper shipping name: Sodium fluoride, solid

## **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### **Massachusetts Right To Know Components**

sodium fluoride	CAS-No. 7681-49-4	Revision Date 2007-03-01
Pennsylvania Right To Know Components sodium fluoride	CAS-No. 7681-49-4	Revision Date 2007-03-01

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our pranding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Revision Date: 10/27/2023 Print Date: 11/11/2023 Version: 6.9

SIGALD - 201154

Page 11 of 11

