Safety Data Sheet: MAXI-LUBE

Supercedes Date 10/25/2013 Issuing Date 04/18/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name MAXI-LUBE Recommended use Lubricant Information on Manufacturer CHEMSEARCH DIV. OF NCH CORP.

BOX 152170 IRVING, TX 75015 Product Code 4464 Chemical nature Petroleum oil blend Emergency Telephone Number

Telephone inquiry 972-579-2477

2. HAZARD IDENTIFICATION

Color Black Physical State Grease Odor Oily

GHS

Classification

Physical Hazards

None

Health Hazard

Serious Eye Damage/Eye Irritation

Other hazards

None

Labeling
Signal Word
WARNING

<u>Hazard Statements</u> H315 - Causes skin irritation Precautionary Statements

Category 2B

P264 - Wash face, hands and any exposed skin thoroughly after handling. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists, get medical attention.

15 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO	64742-52-5	60-100
extractable)		
Calcium carbonate	1317-65-3	7-13
Aluminum benzoate fatty acid complex	82980-54-9	5-10
Tricalcium phosphate	1306-06-5	1-5
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5	1-5
Molybdenum disulfide	1317-33-5	1-5

4. FIRST AID MEASURES

General advice Avoid contact with skin, eyes and clothing.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation

develops and persists.

Skin Contact Wipe up with absorbent material (e.g. cloth, fleece). Wash off immediately with soap and plenty of

water. Get medical attention if irritation develops and persists. Wash contaminated clothing before

re-use.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur.

Rinse mouth.

Notes to physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flash Point 450 °F / 232 °C Method Open cup

Flammability Limits in Air % No information available.

Upper No data available Lower No data available

Suitable Extinguishing Media

Water spray. Foam. Carbon dioxide (CO2). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 1 Flammability 1 Instability 0
HMIS Health 1 Flammability 1 Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can

create slippery conditions.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.

Storage Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage TemperatureMinimum10 °F / -12 °CMaximum150 °F / 66 °CStorage ConditionsIndoorXOutdoorXHeatedRefrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³	TWA: 5 mg/m ³	No data available
Calcium carbonate	No data available	TWA: 15 mg/m ³	TWA: 10 mg/m ³
		TWA: 5 mg/m ³	TWA: 5 mg/m ³
Aluminum benzoate fatty acid complex	No data available	No data available	No data available
Tricalcium phosphate	No data available	No data available	No data available
Styrene-Ethylene/Propylene Block Copolymer	No data available	No data available	No data available
Molybdenum disulfide	TWA: 10 mg/m ³	TWA: 15 mg/m ³	No data available
	TWA: 3 mg/m ³		

Engineering Measures
Personal Protective Equipment

Eye/Face Protection Sa

Skin Protection
Respiratory Protection

General Hygiene Considerations

Ensure adequate ventilation, especially in confined areas.

Safety glasses with side-shields.

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance. In case of inadequate ventilation wear respiratory protection. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateGreaseViscositySemi-SolidColorBlackOdorOily

Odor Threshold Not applicable Appearance Textured black paste

 pH
 Not applicable
 Specific Gravity
 0.93

 Evaporation Rate
 0 (BuAc = 1)
 Percent Volatile (Volume)
 0

 VOC Content (%)
 0
 VOC Content (g/L)
 0

Vapor Pressure <0.01 mmHg @ 70°F Vapor Density 11.3 (Air = 1.0)Solubility Negligible n-Octanol/Water Partition No data available Melting Point/Range No data available **Decomposition Temperature** No data available **Boiling Point/Range** 475 °F / 246 °C Flammability (solid, gas) No data available 450 °F / 232 °C Flash Point Method Open cup

Autoignition Temperature No information available. Flammability Limits in Air % No information available.

Upper No data available Lower No data available

10. STABILITY AND REACTIVITY

Chemical Stability Conditions to Avoid

Incompatible Products

Hazardous Decomposition Products

Possibility of Hazardous Reactions

Stable. Hazardous polymerization does not occur.

Extremes of temperature and direct sunlight, Keep away from open

flames, hot surfaces, and sources of ignition.

Strong oxidizing agents, Acids.

Carbon oxides, Sulfur oxides, Oxides of phosphorus.

None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

 Oral LD50
 500.00

 Dermal LD50
 2,002.00

Inhalation LC50

Gas No information available

Mist 108.00

Vapor No information available

Principle Route of Exposure Eye contact, Skin contact.

Primary Routes of Entry Eye contact

Acute Effects

Eyes May cause eye irritation.
Skin May cause skin irritation.

Inhalation Low hazard for usual industrial or commercial handling.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity Prolonged skin contact may defat the skin and produce dermatitis. Kidney injury may occur.

Target Organ EffectsRespiratory system, Kidney, Eyes, Blood, Bone.

Aggravated Medical Conditions Respiratory disorders, Skin disorders, Kidney disorders, Blood disorders.

Component Information

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates,	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
hydrotreated heavy naphthenic					
(<3% DMSO extractable)					
Calcium carbonate	= 6450 mg/kg (Rat)	no data available	no data available	no data available	no data available
Aluminum benzoate fatty acid	no data available	no data available	no data available	no data available	no data available
complex					
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene	no data available	no data available	no data available	no data available	no data available
Block Copolymer					
Molybdenum disulfide	no data available	no data available	> 2820 mg/m ³ (Rat) 4 h	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	no data avalilable
Calcium carbonate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	no data available	no data available	respiratory system, kidneys, eyes, blood, bones, joints

Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Petroleum distillates,	not applicable				
hydrotreated heavy naphthenic					
(<3% DMSO extractable)					
Calcium carbonate	not applicable				
Aluminum benzoate fatty acid	not applicable				
complex					
Tricalcium phosphate	not applicable				

| Styrene-Ethylene/Propylene Block Copolymer | not applicable |
|--|----------------|----------------|----------------|----------------|----------------|
| Molybdenum disulfide | not applicable |

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	1000: 48 h Daphnia magna mg/L EC50	N/A
extractable)					
Calcium carbonate	no data available	no data available	no data available	no data available	N/A
Aluminum benzoate fatty acid	no data available	no data available	no data available	no data available	N/A
complex					
Tricalcium phosphate	no data available	no data available	no data available	no data available	N/A
Styrene-Ethylene/Propylene Block	no data available	no data available	no data available	no data available	N/A
Copolymer					
Molybdenum disulfide	no data available	no data available	no data available	no data available	N/A

Persistence and DegradabilityNo information available.BioaccumulationNo information available.MobilityNo information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies
DSL Does not Comply

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of	Reactive Hazard
			Pressure Hazard	
Yes	Yes	No	No	No
CERCLA			-	

Component	Hazardous Substances RQs	CERCLA EHS RQs
Petroleum distillates, hydrotreated heavy naphthenic	Not applicable	Not applicable
(<3% DMSO extractable)		
Calcium carbonate	Not applicable	Not applicable
Aluminum benzoate fatty acid complex	Not applicable	Not applicable
Tricalcium phosphate	Not applicable	Not applicable
Styrene-Ethylene/Propylene Block Copolymer	Not applicable	Not applicable
Molybdenum disulfide	Not applicable	Not applicable

16. OTHER INFORMATION

Prepared By Adrienne McKee
Supercedes Date 10/25/2013
Issuing Date 04/18/2014

4464 - MAXI-LUBE

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

CHEMSEARCH DIV. OF NCH CORP.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.