

SAFETY DATA SHEET

Version 8.10 Revision Date 09/06/2024 Print Date 09/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Diethylene glycol
Product Number	: PHR1045
Brand	: Sigma-Aldrich
Index-No.	: 603-140-00-6
CAS-No.	: 111-46-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Sigma-Aldrich - PHR1045

Page 1 of 11



Pictogram	
Signal Word	Warning
Hazard Statements H302	Harmful if swallowed.
Precautionary Statements P264 P270 P301 + P312 + P330	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Substances			
Formula	: C ₄ H ₁₀ O ₃		
Molecular weight	: 106.12 g/mol		
CAS-No.	: 111-46-6		
EC-No.	: 203-872-2		
Index-No.	: 603-140-00-6		
Component		Classification	Concentration
diethylene glycol			
		Acute Tox. 4; H302	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Sigma-Aldrich - PHR1045

Page 2 of 11



If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb \mathbb{R}). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

Sigma-Aldrich - PHR1045

Page 3 of 11



SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Store at Room Temperature. hygroscopic

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
diethylene glycol	111-46-6	TWA	10 mg/m3	USA. Workplace Environmental Exposure Levels (WEEL)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Sigma-Aldrich - PHR1045

Page 4 of 11



This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	6 - 8 at 200 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/freezing point: -6.5 °C (20.3 °F)
f)	Initial boiling point and boiling range	244.9 °C 472.8 °F at 1,013 hPa - (ECHA)
g)	Flash point	138 °C (280 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 37 %(V) Lower explosion limit: 1.7 %(V)

Sigma-Aldrich - PHR1045

Page 5 of 11



k)	Vapor pressure	< 0.1 hPa at 25 °C (77 °F)
l)	Vapor density	3.66
m)	Density	1.18 g/cm3 at 20 °C (68 °F)
	Relative density	1.11820 °C
n)	Water solubility	1,000 g/l at 20 °C (68 °F) - miscible
o)	Partition coefficient: n-octanol/water	log Pow: -1.98 at 25 °C (77 °F) - Bioaccumulation is not expected., (IUCLID)
p)	Autoignition temperature	372 °C (702 °F) at 1,013.25 hPa
q)	Decomposition temperature	Distillable in an undecomposed state at normal pressure.
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	ner safety informatio	n
	Relative vapor	3.66

Relative vapor 3.66 density

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents Zinc Exothermic reaction with: Strong acids

10.4 Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

Sigma-Aldrich - PHR1045

Page 6 of 11



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 500.1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Inhalation: No data available LD50 Dermal - Rabbit - 11,890 mg/kg Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (IUCLID)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation Remarks: (IUCLID)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (Regulation (EC) No. 440/2008, Annex, B.6)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Sigma-Aldrich - PHR1045

Page 7 of 11



- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 28 Days - NOAEL (No observed adverse effect level) - 936 mg/kg - LOAEL (Lowest observed adverse effect level) - 40,000 mg/kg

RTECS: ID5950000

Symptoms and signs of poisoning are:

Confusion., Dizziness, Kidney injury may occur., Unconsciousness, Convulsions, Nausea, Headache, Vomiting, Pulmonary edema. Effects may be delayed.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 75,222 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia magna (Water flea) - 62,630 mg/l - 48 h
Toxicity to algae	static test NOEC - Pseudokirchneriella subcapitata - > 100 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC20 - activated sludge - > 1,995 mg/l - 30 min (ISO 8192)
Toxicity to fish(Chronic toxicity)	flow-through test LC50 - Menidia peninsulae - > 1,500 mg/l - 28 d Remarks: (ECHA)
Sigma-Aldrich - PHR1045	flow-through test NOEC - Menidia peninsulae - > 40 mg/l - 28 d Page 8 of 11

Page 8 of 11



Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	1,000 mg/l - 23 d	Mysidopsis bahia (opossum shrimp) -	>
	flow through tost NOEC	Mycidoncic babia (onoccum chrimn)	` _

flow-through test NOEC - Mysidopsis bahia (opossum shrimp) - >= 1,000 mg/l - 23 d Remarks: (ECHA)

.

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 10 d Result: 90 % - Readily biodegradable. (OECD Test Guideline 301A)
Theoretical oxygen	1,510 mg/g
demand	Remarks: (Lit.)

Ratio BOD/ThBOD 1.3 - 10 % Remarks: (Lit.)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects**

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Sigma-Aldrich - PHR1045

Page 9 of 11



SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	Acute Health Hazard	
SARA 313	 This material does not contain any chemical components with known CAS numbers that exceed threshold (De Minimis) reporting levels established SARA Title III, Section 313. 	

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

diethylene glycol

111-46-6

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

Sigma-Aldrich - PHR1045

Page 10 of 11



TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 8.10 Revision Date: 09/06/2024 Print Date: 09/06/2024

Sigma-Aldrich - PHR1045

Page 11 of 11

