# SIGMA-ALDRICH

### **Material Safety Data Sheet**

Version 4.3 Revision Date 05/10/2012 Print Date 06/04/2012

1. PRODUCT AND COMPANY IDENTIFICATION			
Product name	:	Maleic acid	
Product Number Brand	:	63180 Fluka	
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA	
Telephone		+1 800-325-5832	
Fax	:	+1 800-325-5052	
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555	
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956	

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

#### **OSHA Hazards**

Harmful by ingestion., Harmful by skin absorption., Skin sensitiser, Irritant

#### **GHS Classification**

Acute toxicity, Oral (Category 4) Acute toxicity, Dermal (Category 4) Skin irritation (Category 2) Serious eye damage (Category 1) Skin sensitization (Category 1) Specific target organ toxicity - single exposure (Category 3) Acute aquatic toxicity (Category 2)

#### GHS Label elements, including precautionary statements

Pictogram



Signal word

Donad	hr.
Dange	31

Hazard statement(s) H302 + H312 H315 H317 H318 H335	Harmful if swallowed or in contact with skin Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
H401	Toxic to aquatic life.
Precautionary statement(s	)
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### HMIS Classification

Health hazard:	2
Flammability:	0
Physical hazards:	0
NFPA Rating Health hazard: Fire: Reactivity Hazard:	2 0 0
Potential Health Effects	
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	Harmful if swallowed.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms	: Toxilic acid cis-Butenedioic acid	
Formula	: C <sub>4</sub> H <sub>4</sub> O <sub>4</sub>	
Molecular Weight	: 116.07 g/mol	
Component		Concentration
Maleic acid		
CAS-No.	110-16-7	-
EC-No.	203-742-5	
Index-No.	607-095-00-3	

#### **4. FIRST AID MEASURES**

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### **5. FIREFIGHTING MEASURES**

#### Conditions of flammability Not flammable or combustible.

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

#### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Dust explosion class: St2

#### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Immersion protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested:Dermatril® (Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 30 min Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

orm	powder
olour	white
ty data	
н	no data available
lelting pint/freezing point	Melting point/range: 137 - 140 °C (279 - 284 °F)
oiling point	160 °C (320 °F)
lash point	127 °C (261 °F) - closed cup
nition temperature	no data available
utoignition emperature	no data available
ower explosion limit	2.7 %(V)
apour pressure	no data available
ensity	1.59 g/mL at 25 °C (77 °F)
/ater solubility	788 g/l at 20 °C (68 °F)
artition coefficient: -octanol/water	log Pow: -0.48
elative vapour ensity	no data available
dour	no data available
dour Threshold	no data available
vaporation rate	no data available
	olour <b>by data</b> <b>c</b> <b>c</b> <b>ty data</b> <b>d</b> <b>e</b> <b>l</b> <b>i</b> <b>t</b> <b>i</b> <b>i</b> <b>i</b> <b>i</b> <b>i</b> <b>i</b> <b>i</b> <b>i</b>

#### **10. STABILITY AND REACTIVITY**

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions no data available

**Conditions to avoid** no data available

Materials to avoid Oxidizing agents

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

#### **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

#### Oral LD50

LD50 Oral - rat - 708 mg/kg Remarks: Behavioral:Convulsions or effect on seizure threshold. Behavioral:Muscle weakness. Gastrointestinal:Ulceration or bleeding from stomach.

#### Inhalation LC50

LC50 Inhalation - rat - 1 h - > 720 mg/m3

#### **Dermal LD50**

LD50 Dermal - rabbit - 1,560 mg/kg Remarks: Behavioral:Tremor.

## Other information on acute toxicity no data available

Skin corrosion/irritation Skin - rabbit - Mild skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation - 2 min

### Respiratory or skin sensitization

no data available

May cause sensitization by skin contact.

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

no data available

#### Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

#### Potential health effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion	Harmful if swallowed.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

Signs and Symptoms of Exposure Gastrointestinal disturbance

#### **Synergistic effects** no data available

Additional Information RTECS: Not available

#### **12. ECOLOGICAL INFORMATION**

#### Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 5 mg/l - 96 h	
	LC0 - Lepomis macrochirus (Bluegill) - > 300 mg/l - 96 h	
Toxicity to daphnia and other aquatic invertebrates	EC100 - Daphnia magna (Water flea) - 160 - 400 mg/l - 48 h	
	EC50 - Daphnia magna (Water flea) - 160 - 400 mg/l - 48 h	
	EC100 - Daphnia magna (Water flea) - 200 mg/l - 24 h	
Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 41 mg/l - 72 h	

#### Persistence and degradability

#### **Bioaccumulative potential**

Bioaccumulation Leuciscus idus melanotus - 3 d Bioconcentration factor (BCF): < 10

Mobility in soil

no data available

PBT and vPvB assessment

no data available

#### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

no data available

#### **13. DISPOSAL CONSIDERATIONS**

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

#### DOT (US)

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Maleic acid) Reportable Quantity (RQ): 5000 lbs Marine pollutant: No Poison Inhalation Hazard: No

IMDG

Not dangerous goods

IATA Not dangerous goods

#### **15. REGULATORY INFORMATION**

#### **OSHA Hazards**

Harmful by ingestion., Harmful by skin absorption., Skin sensitiser, Irritant

#### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard

#### Massachusetts Right To Know Components

Maleic acid	CAS-No. 110-16-7	Revision Date 2007-03-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Maleic acid	110-16-7	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Maleic acid	110-16-7	2007-03-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.